			€
Notice of Allowability	Application No.	Applicant(s)	
	10/087,377	ZHU ET AL.	
	Examiner	Art Unit	
	Alyssa M. Alter	3762	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>30 May 2006</u> .			
2. The allowed claim(s) is/are <u>13-15,17-25,27-29,31,32 and 35-37.</u>			
3.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendr 8. Examiner's Stateme 9. Other	(PTO-413), te nent/Comment	

Art Unit: 3762

REASONS FOR ALLOWANCE

Response to Arguments

Applicant's arguments, see page 7, filed May 30, 2006, with respect to the claims have been fully considered and are persuasive. The following rejections have been withdrawn: the objections and rejection of the pending claims.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach or reasonably suggest positioning a first thermal sensor in the coronary sinus and a second thermal sensor in the right atrium for measuring a myocardium temperature and temperature change within the coronary sinus, in combination with the other elements in the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/087,377

Art Unit: 3762

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alyssa M. Alter whose telephone number is (571) 272-4939. The examiner can normally be reached on M-F 9am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272-4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Myssa M Alter
Examiner
Art Unit 3762

Page 3

JEFFREY B. JASTRZAB PRIMARY EXAMINER

6/7/06